

LISTING PROGRAM

Index.php

//halaman depan

```
<?php include "../config/koneksi.php"; ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="utf-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-  
scale=1.0">
```

```
    <title>Display Information Monitor Lobby</title>
```

```
    <link href="../assets/fonts/css/font-awesome.min.css" rel="stylesheet" type="text/css"/>
```

```
    <link href="../kslider.css" rel="stylesheet" type="text/css" media="screen"/>
```

```
    <link rel="stylesheet" href="../gallery.css">
```

```
<link rel="stylesheet" href="../gallery.theme.css">
```

```
    <script type="text/javascript" src="../assets/js/jquery-1.10.2.min.js"></script>
```

```
    <script src="../prefixfree.min.js"></script>
```

```
    <script src="../jquery.marquee.js"></script>
```

```
<style type="text/css" media="screen">
```

```
/* width */
```

```
::-webkit-scrollbar {
```

```
    width: 1px;
```

```
}
```

```
/* Track */
```

```
::-webkit-scrollbar-track {  
    background: #232332FF;  
}
```

```
/* Handle */
```

```
::-webkit-scrollbar-thumb {  
    background: #232332FF;  
}
```

```
/* Handle on hover */
```

```
::-webkit-scrollbar-thumb:hover {  
    background: #555;  
}
```

```
* {margin:auto; padding: 0;}
```

```
body {  
    letter-spacing: 1px; background-color: #40405BFF;  
    font-family: arial; font-size: 14px;  
}
```

```
.contenter {width: 100%;}
```

```
#logo {  
    float: left; position: absolute; margin-top:.7em; margin-left: .7em;  
    width: 70px; height: 63px; display: block;
```

```
}

#logo img {width: 100%; height: 100%;}


#run_text {
    height: 50px; margin-top: -.3em;
    background-color: #232332FF;
}


#content {
    width: 100%; display: block;
    height:auto; position: relative;
}

.videos {
    float: left; background-color: #494969FF;;
    width: 68%; height: 100%; position: relative;
}

.videos video {width: 100%; height: auto;}

.wide-screen{
    width: 100%; height: 100%;
    min-width: 100%; min-height: 100%;
}


.images {
    float: right; width: 32%; height:auto;
    cursor: none;
```

```
}
```

```
.psn-err-videos {  
    position: absolute;  
    color: #F00; font-weight: bold;  
}
```

```
/* bagian bawah video text */
```

```
#logo {  
    float: left; margin:0;  
    width: 50px; height: 50px; display: block;  
}
```

```
#logo img {  
    width: 40px; height: 40px;  
    padding:5px 0 0 5px;  
}
```

```
#run_text span {  
    color: #FFF; font-size: 25px; background-color:#E1B11DFF;  
    font-weight: bold; padding: 10px 20px;  
}
```

```
.jm {float: right; width: auto; display: block; margin-top: .7em;}
```

```
#t-berita {  
    color: #FFF; float: left; margin-top: 1.2em; text-transform: uppercase;  
    width: 66.5%; margin-left:21.5%; position: absolute;  
}
```

```
/* bagian footer */
```

```
#footer {  
    position: relative; display: block;  
    background-color: #40405BFF; color: #FFF;  
    width: 100%; height:auto; cursor: pointer;  
}
```

```
/* bagian jadwal kuliah */
```

```
#title-jadwal {  
    background-color: #232332FF; color: #FFF;  
    font-size: 18px; font-weight: bold; text-align: center; padding: 10px 0;  
}
```

```
.kuliah ul {  
    padding: 0; width: 100%;  
    list-style: none;  
}
```

```
.kuliah li {  
    padding: 15px 20px; width: 100%;  
    border-bottom:thin solid #A8A8C1FF;  
}
```

```
.kuliah li.odd {  
    background: #fafafa;  
}
```

```
.kuliah li:after {
```

```
content: "";
display: block;
clear: both;
}
```

```
#wd,#mk,#kl,#rg,#jm {
    float: left; font-weight: bold;
    text-transform: uppercase;
}
```

```
.coin-slider { overflow: hidden; zoom: 1; position: relative;}
```

```
.coin-slider a{ text-decoration: none; outline: none; border: none;}
```

```
.cs-buttons { font-size: 0px; padding: 10px; float: left; display: none;}
```

```
.cs-buttons a { margin-left: 5px; height: 10px; width: 10px; float: left; border: 1px solid
#B8C4CF; color: #B8C4CF; text-indent: -1000px; margin-top:-2em;}
```

```
.cs-active { background-color: #B8C4CF; color: #FFFFFF;}
```

```
.cs-title { width: 545px; padding: 10px; background-color: #000000; color: #FFFFFF;}
```

```
.cs-prev,.cs-next {
    background-color: #000000; color: #FFFFFF;
    padding: 0px 10px; display: none;
}
```

```
#date {
```

```
float:left; text-transform: uppercase; margin-left: 2.6em; margin-top: .7em;

position: absolute; color: #FFF; font-weight: bold; font-size: 20px;

}

.jwl > ul, .jwl > ul > li > ul {

    list-style: none; float: left; width: 100%;

    font-weight: bold; text-transform: uppercase;

}

.jwl > ul {

    margin-top: -1em;

}

.jwl > ul > li {

    padding: 15px 20px;

    border-bottom:thin solid #A8A8C1FF;

}

.jwl > ul > li > ul {

    margin-top: -2.2em; margin-bottom: 1.5em;

}

.jwl > ul > li > ul > li{

    padding: 15px 20px; float: left; width: 78%;

    margin-left:20%;border-bottom:thin solid #A8A8C1FF;

}

#wd {width: 30%;} #rg {width: 20%;}

#jm {width: 16%;} #kl{width:25%;}

#kls {color: #E5D219FF;}
```

```
#marquee {  
    width: 100%; height:250px;  
    overflow: hidden;  
}  
#berita { width: 100%; height:auto; overflow: hidden; margin-top:0em;}
```

```
.qq {  
    background-color:#40405BFF; color: #000;  
    height: 480px; width: 100%;  
}
```

```
#ket {  
    margin-top: 3em; text-align: center;  
}
```

```
#kett {  
    margin-top: 3em; text-align: center;  
    position: absolute; width: 100%;  
}
```

```
</style>
```

```
</head>
```

```
<body onload="onload();">
```

```
<div class="contenter">
```

```
<div id="content">
```

```
<!-- Script Videos -->
```

```
<div class="videos">
```



```
        <video id="video_qq" class="wide-screen" height="auto" autoplay="true"
width="auto" onended="onVideoEnded();"></video>
```

```
</div>
```

```
<div class="images">
```

```
    <!-- Script Jadwal Kuliah -->
```

```
    <div id="title-jadwal">PENGUMUMAN</div>
```

```
    <div style="clear: both;"></div>
```

```
    <div class="qq">
```

```
        <div class="gallery autoplay items-3">
```

```
            <?php
```

```
                $qPeng = mysqli_query($koneksi, "SELECT * FROM pengumuman ORDER
BY id_pgn DESC") or die (mysqli_error());
```

```
                if(mysqli_num_rows($qPeng) == 0){
```

```
                    echo "Belum ada data yang masuk!";
```

```
                }else{
```

```
                    while($r = mysqli_fetch_array($qPeng)){
```

```
                        $tpl = $r['status_tampil'];
```

```
                        if ($tpl=='tampil_a') {
```

```
                            ?>
```

```
                        <figure class="item">
```

```
                            
```

```
                        </figure>
```

```
                    <?php
```

```
                        }elseif($tpl=='tampil_b'){
```

```
                            ?>
```

```

<figure class="item">

    <div id="ket"><?php echo $r['keterangan']; ?></div>

</figure>

<?php
    }else{
        ?>

<figure class="item">

    <div id="kett"><?php echo $r['keterangan']; ?></div>

    

</figure>

<?php
    }

    endwhile;
}

?>

<div style="clear: both;"></div>

</div>

<div style="clear: both;"></div>

</div>

<div style="clear: both;"></div>

</div>

<div style="clear: both;"></div>

<div id="run_text">

```

```
<!-- bagian logo -->  
  
<div id="logo"></div>  
  
<div id="date"><?php echo ".h().'. '.tgl_indo(date('Y-m-d')); ?></div>  
  
 <!-- Script Running Text -->  
  
<div id="t-berita">  
  
    <div id="berita" data-gap='0' data-speed='35000' data-direction='left' data-  
duplicated=true'>  
  
        <?php  
  
            $qBerita = mysqli_query($koneksi, "SELECT * FROM running_text ORDER BY  
id_run_text DESC") or die (mysqli_error());  
  
            if(mysqli_num_rows($qBerita) == 0){  
  
                echo "Belum ada data yang masuk!";  
  
            }else{  
  
                while($row = mysqli_fetch_array($qBerita)):  
  
?  
  
                    <b><?php echo $row['judul']; ?> :</b><?php echo $row['berita']; ?>  
  
                    &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~  
  
                    <?php  
  
endwhile;  
  
                }  
  
            ?>  
  
        </div>  
  
    </div>  
  
 <!-- Script Jam -->
```



```
$q = mysqli_query($koneksi, "SELECT * FROM jadwal_kuliah  
WHERE kelas='$kls' AND tanggal='$tgl' ORDER BY waktu ASC") or die (mysqli_error());
```

```
if(mysqli_num_rows($q) == 0){
```

```
}else{
```

```
while($r = mysqli_fetch_array($q)):
```

```
?>
```

```
<li>
```

```
<div id="kl"><?php echo $r['mata_kuliah'];
```

```
?></div>
```

```
<div id="jm">JAM <?php echo $r['waktu'];
```

```
?></div>
```

```
<div id="rg">RUANGAN <?php echo $r['ruang'];
```

```
?></div>
```

```
<div id="wd"><?php echo $r['nama_dosen'];
```

```
?></div>
```

```
</li>
```

```
<?php
```

```
endwhile;
```

```
}
```

```
?>
```

```
</ul>
```

```
</li>
```

```
<?php
```

```
endwhile;
```

```
}
```

```
?>
```

```
</ul>
```

```
</div>
```

```
<div style="clear: both;"></div>
```

```
</div>
```

```
<div style="clear: both;"></div>
```

```
</div>
```

```
</div>
```

```
<script type="text/javascript">
```

```
$('#marquee').marquee();
```

```
$('#berita').marquee();
```

```
//script jam
```

```
function jam() {
```

```
    var time = new Date(),
```

```
        hours = time.getHours(),
```

```
        minutes = time.getMinutes(),
```

```
        seconds = time.getSeconds();
```

```
    document.querySelectorAll('.jam')[0].innerHTML = harold(hours) + ":" + harold(minutes) +  
    ":" + harold(seconds);
```

```
function harold(standIn) {
```

```
    if (standIn < 10) {
```

```
        standIn = '0' + standIn
```

```
    }
```

```
    return standIn;
```

```
}
```

```

    }

    setInterval(jam, 1000);

// script slider pengumuman
$(function(){
    $('#slides1').bxSlider({
        wrapper_class: 'slides1_wrap',
        margin: 70,
        auto: true,
        auto_controls: true
    });
});

//script videos
var video_list = [

<?php
    $qVideos = mysqli_query($koneksi, "SELECT * FROM videos WHERE
status_videos='Aktif' ORDER BY id_videos DESC") or die (mysqli_error());

    if(mysqli_num_rows($qVideos)==0){
        echo "belum ada data yang masuk!";
    }else{
        while($row = mysqli_fetch_array($qVideos)):
            $link=$row['video_location'];
            //menampilkan video
            echo "";

```

```

        echo "./admin/file/videos/$link";

        echo "";

        echo ",";

    endwhile;

}

?>

];

var video_index      = 0;

var video_player = null;

function onload(){

    console.log("body loaded");

    video_player = document.getElementById("video_qq");

    video_player.setAttribute("src", video_list[video_index]);

    video_player.play();

}

function onVideoEnded(){

    console.log("video ended");

    if(video_index < video_list.length -1){

        video_index++;

    }else{

        video_index=0;

    }

    video_player.setAttribute("src", video_list[video_index]);

    video_player.play();

}

```



```
</script>
```

```
</body>
```

```
</html>
```

Home.php

```
<?php
```

```
    session_start(); ob_start();
```

```
    if($_SESSION['status']!="login"){
```

```
        header("location:../index.php?p=belum_login");
```

```
    }
```

```
    //koneksi
```

```
    include "../config/koneksi.php";
```

```
    //panggil page
```

```
    $page = $_GET['p'];
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0">
```

```
<meta name="description" content="">
```

```
<meta name="author" content="ThemeBucket">
```

```
<link rel="shortcut icon" href="#" type="image/png">

<title>Dashboard - Display Information Monitor Lobby</title>

<!--ios7-->

<link rel="stylesheet" type="text/css" href="../assets/js/ios-switch/switchery.css" />


<!--dynamic table-->

<link href="../assets/js/advanced-datatable/css/demo_page.css" rel="stylesheet" />
<link href="../assets/js/advanced-datatable/css/demo_table.css" rel="stylesheet" />
<link rel="stylesheet" href="../assets/js/data-tables/DT_bootstrap.css" />


<!--Morris Chart CSS -->

<link rel="stylesheet" href="../assets/js/morris-chart/morris.css">


<!--common-->

<link href="../assets/css/style.css" rel="stylesheet">
<link href="../assets/css/style-responsive.css" rel="stylesheet">


<!--pickers css-->

<link rel="stylesheet" type="text/css" href="../assets/js/bootstrap-datepicker/css/datepicker-
custom.css" />


<!--file upload-->

<link rel="stylesheet" type="text/css" href="../assets/css/bootstrap-fileupload.min.css" />


<!--tags input-->
```

```
<link rel="stylesheet" type="text/css" href="../assets/js/jquery-tags-input/jquery.tagsinput.css" />
```

```
<link rel="stylesheet" type="text/css" href="../assets/js/bootstrap-wysihtml5/bootstrap-wysihtml5.css" />
```

```
<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media queries -->
```

```
<!--[if lt IE 9]>
```

```
<script src="../assets/js/html5shiv.js"></script>
```

```
<script src="../assets/js/respond.min.js"></script>
```

```
<![endif]-->
```

```
<style type="text/css">
```

```
.title-navbar {  
    display: block; position: absolute;  
    margin-left: 5em; margin-top: 1em;  
}
```

```
.btn-tambah {  
    margin-top: -.5em; margin-left: .8em;  
}
```

```
.err {color: #F00; text-align:center;}
```

```
</style>
```

```
</head>
```

```
<body class="sticky-header">
```

```
<section>
```

```
<!-- left side start-->
```

```
<div class="left-side sticky-left-side">
```

```
<!--logo and iconic logo start-->
```

```
<div class="logo">
```

```
<a href="#"></a>
```

```
</div>
```

```
<div class="logo-icon text-center">
```

```
<a href="#"></a>
```

```
</div>
```

```
<!--logo and iconic logo end-->
```

```
<div class="left-side-inner">
```

```
<!--sidebar nav start-->
```

```
<ul class="nav nav-pills nav-stacked custom-nav">
```

```
<li <?php if($page=="home") echo "class='active'";?><a href="?p=home"><i class="fa fa-home"></i><span>Dashboard</span></a></li>
```

```
<li class="menu-list"><a href=""><i class="fa fa-list-alt"></i><span>Data  
Manajemen</span></a>
```

```
<ul class="sub-menu-list">
```

```
<li <?php if($page=="data-videos") echo "class='active'";?><a href="?p=data-videos">  
Videos</a></li>
```

```
<li <?php if($page=="data-pengumuman") echo "class='active'";?><a href="?p=data-  
pengumuman"> Pengumuman</a></li>
```

```
<li <?php if($page=="data-jadwal-kuliah") echo "class='active'";?><a href="?p=data-jadwal-  
kuliah"> Jadwal Kuliah</a></li>
```

```
<li <?php if($page=="data-running-text") echo "class='active'";?><a href="?p=data-running-text"> Running Text</a></li>
```

```
</ul>
```

```
</li>
```

```
<!-- <li <?php if($page=="monitor-lobby") echo "class='active'";?><a href="?p=monitor-lobby"><i class="fa fa-file-o"></i><span>Monitor Lobby</span></a></li> -->
```

```
<li <?php if($page=="pengaturan-user") echo "class='active'";?><a href="?p=pengaturan-user"><i class="fa fa-user"></i><span>Pengaturan User</span></a></li>
```

```
<li><a href="#myModal" data-toggle="modal"><i class="fa fa-sign-out"></i><span>Keluar</span></a></li>
```

```
</ul>
```

```
<!--sidebar nav end-->
```

```
</div>
```

```
</div>
```

```
<!-- left side end-->
```

```
<!-- main content start-->
```

```
<div class="main-content" >
```

```
<!-- header section start-->
```

```
<div class="header-section">
```

```
<!--toggle button start-->
```

```
<a class="toggle-btn"><i class="fa fa-bars"></i></a>
```

```
<!--toggle button end-->
```

```
<!--title navbar start-->
```

```
<div class="title-navbar">
```

```
<p>Display Information Monitor Lobby</p>
```

```
</div>
```

```
<!--title navbar end-->
```

```
<!--notification menu start -->
```

```
<div class="menu-right">
```

```
<ul class="notification-menu">
```

```
<li>
```

```
<a href="#" class="btn btn-default dropdown-toggle" data-toggle="dropdown">
```

```

```

Admin

```
<span class="caret"></span>
```

```
</a>
```

```
<ul class="dropdown-menu dropdown-menu-usermenu pull-right">
```

```
<li><a href="?p=pengaturan-user"><i class="fa fa-user"></i> Pengaturan User</a></li>
```

```
<li><a href="#myModal" data-toggle="modal"><i class="fa fa-sign-out"></i> Keluar</a></li>
```

```
</ul>
```

```
</li>
```

```
</ul>
```

```
</div>
```

```
<!--notification menu end -->
```

```
</div>
```

<!-- header section end-->

<?php

```
$pages_dir = 'page';
```

```
if(!empty($_GET['p'])){
```

```
    $pages = scandir($pages_dir, 0);
```

```
    unset($pages[0], $pages[1]);
```

```
    $p = $_GET['p'];
```

```
    if(in_array($p.'.php', $pages)){
```

```
        include($pages_dir.'/'.$p.'.php');
```

```
    } else {
```

```
        echo "<div class='page-heading'>Halaman tidak ditemukan!!</div>";
```

```
    }
```

```
    } else {
```

```
        include($pages_dir.'/home.php');
```

```
    }
```

```
?>
```

<!-- footer section start-->

<footer class="sticky-footer">

2019 © Display Information Monitor Lobby

</footer>

<!-- footer section end-->

</div>

<!-- main content end-->

```
<!-- Modal -->

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myModal" class="modal fade">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header" style="background-color: #D22;">

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title">KONFIRMASI KELUAR</h4>

</div>

<div class="modal-body">

<center>APAKAH ANDA YAKIN INGIN KELUAR<br>PADA HALAMAN INI!!</center>

</div>

<div class="modal-footer">

<button type="button" class="btn btn-default" data-dismiss="modal">TIDAK</button>

<a href="/keluar.php" class="btn btn-danger">YA</a>

</div>

</div>

</div>

</div>

</div>

<!-- modal -->

</section>


<!-- Placed js at the end of the document so the pages load faster -->

<script src="/assets/js/jquery-1.10.2.min.js"></script>
```



```
<script src="../../assets/js/jquery-ui-1.9.2.custom.min.js"></script>
```

```
<script src="../../assets/js/jquery-migrate-1.2.1.min.js"></script>
```

```
<script src="../../assets/js/bootstrap.min.js"></script>
```

```
<script src="../../assets/js/modernizr.min.js"></script>
```

```
<script src="../../assets/js/jquery.nicescroll.js"></script>
```

```
<script src="../../assets/js/jquery.isotope.js"></script>
```

```
<!--common scripts for all pages-->
```

```
<script src="../../assets/js/scripts.js"></script>
```

```
<!--Morris Chart-->
```

```
<script src="../../assets/js/morris-chart/morris.js"></script>
```

```
<script src="../../assets/js/morris-chart/raphael-min.js"></script>
```

```
<!--Dashboard Charts-->
```

```
<script src="../../assets/js/dashboard-chart-init.js"></script>
```

```
<!--dynamic table-->
```

```
<script type="text/javascript" language="javascript" src="../../assets/js/advanced-datatable/js/jquery.dataTables.js"></script>
```

```
<script type="text/javascript" src="../../assets/js/data-tables/DT_bootstrap.js"></script>
```

```
<!--spinner-->
```

```
<script type="text/javascript" src="../../assets/js/fuelux/js/spinner.min.js"></script>
```

```
<script src="../../assets/js/spinner-init.js"></script>
```

```
<!--dynamic table initialization -->
```

```
<script src="../../assets/js/dynamic_table_init.js"></script>
```

```
<!--pickers plugins-->
```

```
<script type="text/javascript" src="../../assets/js/bootstrap-datepicker/js/bootstrap-datepicker.js"></script>
```

```
<!--pickers initialization-->
```

```
<script src="../../assets/js/pickers-init.js"></script>
```

```
<!--file upload-->
```

```
<script type="text/javascript" src="../../assets/js/bootstrap-fileupload.min.js"></script>
```

```
<!--tags input-->
```

```
<script src="../../assets/js/jquery-tags-input/jquery.tagsinput.js"></script>
```

```
<script src="../../assets/js/tagsinput-init.js"></script>
```

```
<!--bootstrap input mask-->
```

```
<script type="text/javascript" src="../../assets/js/bootstrap-inputmask/bootstrap-inputmask.min.js"></script>
```

```
<script type="text/javascript" src="../../assets/js/bootstrap-wysihtml5/wysihtml5-0.3.0.js"></script>
```

```
<script type="text/javascript" src="../../assets/js/bootstrap-wysihtml5/bootstrap-wysihtml5.js"></script>
```

```
<script type="text/javascript">

    jQuery(document).ready(function(){

        $('.wysihtml5').wysihtml5();

    });

    $(function() {

        var $container = $('#gallery');

        $container.isotope({

            itemSelector: '.item',

            animationOptions: {

                duration: 750,

                easing: 'linear',

                queue: false

            }

        });

        // filter items when filter link is clicked

        $('#filters a').click(function() {

            var selector = $(this).attr('data-filter');

            $container.isotope({ filter: selector });

            return false;

        });

    });

</script>
```

```
</body>
```

```
</html>
```

```
<?php ob_flush(); ?>
```

Index.php

```
//halaman admin
```

```
<?php
```

```
    session_start();
```

```
    //koneksi
```

```
    include "../config/koneksi.php";
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0">
```

```
<meta name="description" content="">
```

```
<meta name="author" content="ThemeBucket">
```

```
<link rel="shortcut icon" href="#" type="image/png">
```

```
<title>Login - Monitor Lobby</title>
```

```
<link href="../assets/css/style.css" rel="stylesheet">
```

```
<link href="../assets/css/style-responsive.css" rel="stylesheet">
```

```
<!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and media queries -->

<!--[if lt IE 9]>

<script src="js/html5shiv.js"></script>
<script src="js/respond.min.js"></script>

<![endif]-->

<style type="text/css">

    .err {

        text-align: center; margin-top: -1em; clear: both;

        padding-bottom: 1em; color: #F00;

    }

</style>

</head>

<body class="login-body">

<div class="container">

<div class="form-signin">

<form method="POST">

<div class="form-signin-heading text-center" style="margin-bottom: -1em;">

<h1 class="sign-title">Sign In</h1>



</div>

<div class="login-wrap">

<input type="text" class="form-control" name="user" placeholder="Username" autofocus
required>

<input type="password" class="form-control" name="pass" placeholder="Password" required>
```

```
<button class="btn btn-lg btn-login btn-block" type="submit" name="login"><i class="fa fa-check"></i></button>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
    if(isset($_POST['login'])){

        $user = $_POST['user'];

        $pass = md5($_POST['pass']);

        $qLogin = mysqli_query($koneksi, "SELECT * FROM user WHERE
username='$user' AND password='$pass'");

        $cek = mysqli_num_rows($qLogin);

        if($cek > 0){

            $_SESSION['username'] = $username;

            $_SESSION['status'] = "login";

            header("location:../home.php?p=home");

        }else{

            header("location:../index.php?p=gagal");

        }

    }

}
```

```
//pesan
```

```
if(isset($_GET['p'])){

    if($_GET['p'] == "gagal"){

        echo "<div class='err'>Login Gagal! username atau password salah</div>";

    }else if($_GET['p'] == "logout"){

        echo "<div class='err'>Anda telah berhasil keluar</div>";

    }

}
```

```

    }else if($_GET['p'] == "belum_login"){
        echo "<div class='err'>Anda harus login untuk mengakses halaman admin</div>";
    }
}

?>

</div>

</div>

<!-- Placed js at the end of the document so the pages load faster -->

<script src="../../assets/js/jquery-1.10.2.min.js"></script>

<script src="../../assets/js/bootstrap.min.js"></script>

<script src="../../assets/js/modernizr.min.js"></script>

</body>

</html>

```

Data videos.php

```

<!-- page heading start-->

<div class="page-heading">

<h3>

    Videos

</h3>

<ul class="breadcrumb">

<li>

<a href="#">Dashboard</a>

```


<li class="active"> Data Videos

</div>

<!-- page heading end-->

<!--body wrapper start-->

<div class="wrapper">

<div class="row">

<div class="col-sm-12">

<section class="panel">

<header class="panel-heading">

Table Videos

<i class="fa fa-plus"></i>

</header>

<div class="panel-body">

<div class="adv-table">

<table class="display table table-bordered table-striped" id="dynamic-table">

<thead>


```

<tr>

<th width="7%">No.</th>

<th>Name</th>

<th width="15%">Tanggal Update</th>

<th width="10%">Type</th>

<th width="14%">Status Videos</th>

<th width="14%">Aksi</th>

</tr>

</thead>

<tbody>

<?php
    $query = mysqli_query($koneksi, "SELECT * FROM videos ORDER BY status_videos
ASC") or die (mysqli_error());

    if(mysqli_num_rows($query) == 0){

        echo "<tr><td align='center' colspan='6'>Belum ada data yang masuk</td></tr>";

    }else{

        $no=0; // Nomor Urut

        while($row = mysqli_fetch_array($query)):

            $no++;

        ?>

<tr>

<td align="center"><?php echo $no; ?></td>

<td><?php echo $row['name']; ?></td>

<td align="center"><?php echo $row['tgl_update']; ?></td>

<td><?php echo $row['type']; ?></td>

```

```

<td align="center"><?php echo $row['status_videos']; ?></td>

<td align="center">

<a class="btn btn-primary btn-xs" href="?p=edit-data-videos&id=<?php echo $row['id_videos'];
?>"><i class="fa fa-pencil"></i> Edit </a>

<a class="btn btn-danger btn-xs" href="#myHapus<?php echo $row['id_videos']; ?>" data-
toggle="modal"><i class="fa fa-trash-o"></i> Hapus </a>

<!-- Modal -->

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myHapus<?php echo $row['id_videos']; ?>" class="modal fade">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header" style="background: #DA2D24FF">

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title" style="text-align: left;">KONFIRMASI HAPUS</h4>

</div>

<div class="modal-body" align="left" style="margin-bottom: -1em;">

<P><b>Name :</b><?php echo $row['name']; ?></P>

<P><b>Video Location :</b><?php echo $row['video_location']; ?></P>

<video width="100%" height="350px" controls preload="metadata" style="margin-top: -1em;">

<source src="./file/videos/<?php echo $row['video_location']; ?>" type="video/<?php echo
$row['type']; ?>"/>

</video>

</div>

<div class="modal-footer" align="left">

<button type="button" class="btn btn-default" data-dismiss="modal">TIDAK</button>

```

```
<a href="/page/hapus.php?id_vs=<?php echo $row['id_videos']; ?>" class="btn btn-  
danger">YA</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- modal -->
```

```
</td>
```

```
</tr>
```

```
<?php
```

```
    endwhile;
```

```
    }
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--warper end-->
```

Data jadwal kuliah.php

```
<!-- page heading start-->
```

```
<div class="page-heading">
```

```
<h3>
```

Jadwal Kuliah

```
</h3>
```

```
<ul class="breadcrumb">
```

```
<li>
```

```
<a href="#">Dashboard</a>
```

```
</li>
```

```
<li class="active"> Data Jadwal Kuliah </li>
```

```
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```
<div class="wrapper">
```

```
<div class="row">
```

```
<div class="col-sm-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

Table Jadwal Kuliah

```
<span class="pull-right btn-tambah">
```

```
<a href="?p=tambah-data-jadwal-kuliah" class="btn btn-success" title="Tambah Data"><i class="fa fa-plus"></i></a>
```

```
</span>
```

```
<span class="tools pull-right">
```

```
<a href="javascript:;" class="fa fa-chevron-down"></a>
```

```
</span>
```

```
</header>
```

```
<div class="panel-body">
```

```
<div class="adv-table">
```

```
<table class="display table table-bordered table-striped" id="dynamic-table">
```

```
<thead>
```

```
<tr>
```

```
<th width="7%">No.</th>
```

```
<th width="13%">Tanggal</th>
```

```
<th>Hari</th>
```

```
<th width="9%">Kelas</th>
```

```
<th>Nama Matakuliah</th>
```

```
<th width="11%">Jam Kuliah</th>
```

```
<th width="8%">Ruangan</th>
```

```
<th>Nama Dosen</th>
```

```
<th width="8%">Aksi</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
    $query = mysqli_query($koneksi, "SELECT * FROM jadwal_kuliah ORDER BY  
tanggal ASC") or die (mysqli_error());
```

```
    if(mysqli_num_rows($query) == 0){
```

```
        echo "<tr><td align='center' colspan='8'>Belum ada data yang masuk</td></tr>";
```

```

        }else{

            $no=0; // Nomor Urut

            while($row = mysqli_fetch_array($query)):

                $no++;

            ?>

<tr>

<td align="center"><?php echo $no; ?></td>

<td><?php echo $row['tanggal']; ?></td>

<td><?php echo $row['hari']; ?></td>

<td><?php echo $row['kelas']; ?></td>

<td><?php echo $row['mata_kuliah']; ?></td>

<td><?php echo $row['waktu']; ?></td>

<td><?php echo $row['ruang']; ?></td>

<td><?php echo $row['nama_dosen']; ?></td>

<td align="center">

<a class="btn btn-primary btn-xs" href="?p=edit-data-jadwal-kuliah&id=<?php echo
$row['id_jadwal']; ?>"><i class="fa fa-pencil"></i></a>

<a class="btn btn-danger btn-xs" href="#myHapus<?php echo $row['id_jadwal']; ?>" data-
toggle="modal"><i class="fa fa-trash-o"></i></a>

<!-- Modal -->

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myHapus<?php echo $row['id_jadwal']; ?>" class="modal fade">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header" style="background: #DA2D24FF">

```

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title" style="text-align: left;">KONFIRMASI HAPUS</h4>

</div>

<div class="modal-body" align="left" style="margin-bottom: -1em;">

<p>Tanggal :<?php echo \$row['tanggal']; ?></p>

<p>Hari :<?php echo \$row['hari']; ?></p>

<p>Kelas : <?php echo \$row['kelas']; ?></p>

<p>Nama Mata Kuliah : <?php echo \$row['mata_kuliah']; ?></p>

<p>Jam Kuliah : <?php echo \$row['waktu']; ?></p>

<p>Ruangan :<?php echo \$row['ruang']; ?></p>

<p>Nama Dosen : <?php echo \$row['nama_dosen']; ?></p>

</div>

<div class="modal-footer" align="left">

<button type="button" class="btn btn-default" data-dismiss="modal">TIDAK</button>

<a href="./page/hapus.php?id_jadwal=<?php echo \$row['id_jadwal']; ?>" class="btn btn-danger">YA

</div>

</div>

</div>

</div>

<!-- modal -->

</td>

</tr>

<?php

endwhile;

```
        }  
    ?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!--warper end-->
```

Data pengumuman.php

```
<!-- page heading start-->
```

```
<div class="page-heading">
```

```
<h3>Pengumuman</h3>
```

```
<ul class="breadcrumb">
```

```
<li>
```

```
<a href="#">Dashboard</a>
```

```
</li>
```

```
<li class="active"> Data Pengumuman </li>
```

```
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```



```
<div class="wrapper">

<div class="row">

<div class="col-sm-12">

<section class="panel">

<header class="panel-heading">

    Table Pengumuman

<span class="pull-right btn-tambah">

<a href="?p=tambah-data-pengumuman" class="btn btn-success" title="Tambah Data"><i
class="fa fa-plus"></i></a>

</span>

<span class="tools pull-right">

<a href="javascript:;" class="fa fa-chevron-down"></a>

</span>

</header>

<div class="panel-body">

<div class="adv-table">

<table class="display table table-bordered table-striped" id="dynamic-table">

<thead>

<tr>

<th width="7%">No.</th>

<th width="16%">Tanggal Update</th>

<th>Judul Pengumuman</th>

<th width="30%">Status Tampil</th>

<th width="15%">Aksi</th>

</tr>
```

```

</thead>

<tbody>

<?php
    $query = mysqli_query($koneksi, "SELECT * FROM pengumuman ORDER BY
id_pgn ASC") or die (mysqli_error());

    if(mysqli_num_rows($query) == 0){

        echo "<tr><td align='center' colspan='5'>Belum ada data yang masuk</td></tr>";

    }else{

        $no=0; // Nomor Urut

        while($row = mysqli_fetch_array($query)):

            $no++; $stampil=$row['status_tampil'];

        ?>

<tr>

<td align="center"><?php echo $no; ?></td>

<td align="center"><?php echo $row['tgl_update']; ?></td>

<td><?php echo $row['jdl_pengumuman']; ?></td>

<td><?php if($stampil=='tampil_a'){echo "Tampilkan Hanya Foto";}else{echo "Tampilkan Foto
dan Keterangan";} ?></td>

<td align="center">

<a class="btn btn-primary btn-xs" href="?p=edit-data-pengumuman&id=<?php echo
$row['id_pgn']; ?>"><i class="fa fa-pencil"></i></a>

<a class="btn btn-warning btn-xs" href="#myInfo<?php echo $row['id_pgn']; ?>" data-
toggle="modal"><i class="fa fa-eye"></i></a>

<a class="btn btn-danger btn-xs" href="#myHapus<?php echo $row['id_pgn']; ?>" data-
toggle="modal"><i class="fa fa-trash-o"></i> Hapus </a>

<!-- Modal Info -->

```

```

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myInfo<?php echo $row['id_pgn']; ?>" class="modal fade">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header" style="background-color: #E4B31AFF;">

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title">INFORMASI PENGUMUMAN</h4>

</div>

<div class="modal-body" align="left" style="margin-bottom: -1em;">

<P><b>Judul Pengumuman : </b><br><?php echo $row['jdl_pengumuman']; ?></P>

<P style="margin-bottom:-0em"><b>Keterangan : </b></P>

<?php echo $row['keterangan']; ?>

<P style="margin-bottom:-0em; margin-top:1em;"><b>Images Location : </b></P>

<a href="/file/pengumuman/<?php echo $row['img_location']; ?>"
target="blank">./file/pengumuman/<?php echo $row['img_location']; ?></a>

</div>

<div class="modal-footer" align="left">

<button type="button" class="btn btn-default" data-dismiss="modal">KEMBALI</button>

</div>

</div>

</div>

</div>

</div>

<!-- Modal Hapus -->

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myHapus<?php echo $row['id_pgn']; ?>" class="modal fade">

<div class="modal-dialog">

```

```

<div class="modal-content">

<div class="modal-header" style="background-color: #D9253FFF;">

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title">INFORMASI PENGUMUMAN</h4>

</div>

<div class="modal-body" align="left" style="margin-bottom: -1em;">

<P><b>Judul Pengumuman : </b><br><?php echo $row['jdl_pengumuman']; ?></P>

<P style="margin-bottom:-0em"><b>Keterangan : </b></P>

<?php echo $row['keterangan']; ?>

<P style="margin-bottom:-0em; margin-top:1em;"><b>Images Location : </b></P>

<a href="./file/pengumuman/<?php echo $row['img_location']; ?>"
target="blank">./file/pengumuman/<?php echo $row['img_location']; ?></a>

</div>

<div class="modal-footer" align="left">

<button type="button" class="btn btn-default" data-dismiss="modal">TIDAK</button>

<a href="./page/hapus.php?id_pgn=<?php echo $row['id_pgn']; ?>" class="btn btn-
danger">YA</a>

</div>

</div>

</div>

</div>

</div>

</td>

</tr>

<?php
    endwhile;
}

```

```
        ?>

</tbody>

</table>

</div>

</div>

</section>

</div>

</div>

</div>

<!--warper end-->
```

Data running text.php

```
<!-- page heading start-->

<div class="page-heading">

<h3>

    Running Text

</h3>

<ul class="breadcrumb">

<li>

<a href="#">Dashboard</a>

</li>

<li class="active"> Data Running Text </li>

</ul>

</div>

<!-- page heading end-->
```

```
<!--body wrapper start-->

<div class="wrapper">

<div class="row">

<div class="col-sm-12">

<section class="panel">

<header class="panel-heading">

    Table Running Text

<span class="pull-right btn-tambah">

<a href="?p=tambah-data-running-text" class="btn btn-success" title="Tambah Data"><i
class="fa fa-plus"></i></a>

</span>

<span class="tools pull-right">

<a href="javascript:;" class="fa fa-chevron-down"></a>

</span>

</header>

<div class="panel-body">

<div class="adv-table">

<table class="display table table-bordered table-striped" id="dynamic-table">

<thead>

<tr>

<th width="7%">No.</th>

<th width="20%">Judul</th>

<th>Berita</th>

<th width="15%">Tanggal Update</th>
```

```

<th width="10%">Aksi</th>

</tr>

</thead>

<tbody>

<?php
    $query = mysqli_query($koneksi, "SELECT * FROM running_text ORDER BY judul
    ASC") or die (mysqli_error());

    if(mysqli_num_rows($query) == 0){

        echo "<tr><td align='center' colspan='5'>Belum ada data yang masuk</td></tr>";

    }else{

        $no=0; // Nomor Urut

        while($row = mysqli_fetch_array($query)):

            $no++;

        ?>

<tr>

<td align="center"><?php echo $no; ?></td>

<td><?php echo $row['judul']; ?></td>

<td><?php echo $row['berita']; ?></td>

<td><?php echo $row['tgl_update']; ?></td>

<td align="center">

<a class="btn btn-primary btn-xs" href="?p=edit-data-running-text&id=<?php echo
$row['id_run_text']; ?>"><i class="fa fa-pencil"></i> Edit </a>

<a class="btn btn-danger btn-xs" href="#myHapus<?php echo $row['id_run_text']; ?>" data-
toggle="modal"><i class="fa fa-trash-o"></i></a>

<!-- Modal -->

```

```

<div aria-hidden="true" aria-labelledby="myModalLabel" role="dialog" tabindex="-1"
id="myHapus<?php echo $row['id_run_text']; ?>" class="modal fade">

<div class="modal-dialog" style="width: 50%;">

<div class="modal-content">

<div class="modal-header" style="background: #DA2D24FF">

<button aria-hidden="true" data-dismiss="modal" class="close" type="button">×</button>

<h4 class="modal-title" style="text-align: left;">KONFIRMASI HAPUS</h4>

</div>

<div class="modal-body" align="left" style="margin-bottom: -1em;">

<P><b>Judul :</b><?php echo $row['judul']; ?></P>

<P><b>Berita :</b></P>

<P><?php echo $row['berita']; ?></P>

</div>

<div class="modal-footer" align="left">

<button type="button" class="btn btn-default" data-dismiss="modal">TIDAK</button>

<a href="./page/hapus.php?id_run=<?php echo $row['id_run_text']; ?>" class="btn btn-
danger">YA</a>

</div>

</div>

</div>

</div>

</div>

<!-- modal -->

</td>

</tr>

<?php
    endwhile;

```



```
    }  
    ?>  
</tbody>  
</table>  
</div>  
</div>  
</section>  
</div>  
</div>  
</div>  
<!--warper end-->
```

Edit data running text.php

```
<!-- page heading start-->  
<div class="page-heading">  
<h3>Running Text</h3>  
<ul class="breadcrumb">  
<li>  
<a href="#">Dashboard</a>  
</li>  
<li>  
<a href="?p=data-running-text">Data Running Text</a>  
</li>  
<li class="active"> Edit Running Text </li>  
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```
<section class="wrapper">
```

```
<!-- page start-->
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

Tambah Running Text

```
<span class="tools pull-right">
```

```
<a href="javascript:;" class="fa fa-chevron-down"></a>
```

```
</span>
```

```
</header>
```

```
<div class="panel-body">
```

```
<?php
```

```
    $id = $_GET['id'];
```

```
    $query = mysqli_query($koneksi, "SELECT * FROM running_text WHERE  
id_run_text='$id'");
```

```
    $row = mysqli_fetch_array($query);
```

```
    ?>
```

```
<form role="form" method="POST">
```

```
<div class="col-lg-12 form-group">
```

```
<label for="jurusan">Judul</label>
```

```
<input type="text" class="form-control" name="jdl" value="<?php echo $row['judul']; ?>"
required>
```

```
</div>
```

```
<div class="col-lg-12 form-group">
```

```
<label for="berita">Berita</label>
```

```
<textarea rows="6" class="form-control" name="brt" required><?php echo $row['berita'];
?></textarea>
```

```
</div>
```

```
<div class="col-lg-12">
```

```
<button type="submit" class="btn btn-success" name="edit">Edit</button>
```

```
<a href="?p=data-running-text" class="btn btn-danger">Batal</a>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
    if(isset($_POST['edit'])){
```

```
        $judul = $_POST['jdl'];
```

```
        $berita = $_POST['brt'];
```

```
        $tgl= date('d-m-Y');
```

```
        $qEdit = mysqli_query($koneksi, "UPDATE running_text SET
        judul='$judul',berita='$berita',tgl_update='$tgl' WHERE id_run_text=$id");
```

```
        if($qEdit){
```

```
            $_SESSION['pesan']='penambahan data berhasil';
```

```
            header('location: ?p=data-running-text');
```

```
        }else{
```

```
            echo "<div class='col-lg-12 err'><strong>Maaf!</strong> anda gagal
            menyimpan kedalam database.</div>";
```

```
        }
```

```
        }  
    ?>
```

```
</div>
```

```
</section>
```

```
</div>
```

```
</div>
```

```
</section>
```

Edit data pengumuman.php

```
<!-- page heading start-->
```

```
<div class="page-heading">
```

```
<h3>Pengumuman</h3>
```

```
<ul class="breadcrumb">
```

```
<li>
```

```
<a href="#">Dashboard</a>
```

```
</li>
```

```
<li>
```

```
<a href="?p=data-pengumuman">Data Pengumuman</a>
```

```
</li>
```

```
<li class="active"> Edit Pengumuman </li>
```

```
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```

<section class="wrapper">

<!-- page start-->

<div class="row">

<div class="col-lg-12">

<section class="panel">

<header class="panel-heading">

                Edit Pengumuman

<span class="tools pull-right">

<a href="javascript:;" class="fa fa-chevron-down"></a>

</span>

</header>

<div class="panel-body">

<?php

                $id = $_GET['id'];

                $query = mysqli_query($koneksi, "SELECT * FROM pengumuman
WHERE id_pgn='$id'");

                $row = mysqli_fetch_array($query);

                ?>

<form role="form" method="POST" enctype="multipart/form-data">

<div class="col-lg-12 form-group">

<label for="name">Name</label>

<input type="text" class="form-control" name="jdl" value="<?php echo
$row['jdl_pengumuman']; ?>" required>

</div>

<div class="col-lg-12 form-group">

<label for="name">Keterangan</label>

```

```

<textarea class="wysihtml5 form-control" name="keterangan" rows="9"><?php echo
$row['keterangan']; ?></textarea>

</div>

<div class="col-lg-12 form-group">

<label for="name">Image Location <span style="color: #F0740EFF;">(Ukuran yang baik untuk
foto 440x480px)</span></label>

</div>

<div class="col-lg-12 form-group">

<div style="margin-top: -1em; margin-bottom: 1em;">

<div class="fileupload fileupload-new" data-provides="fileupload">

<div class="fileupload-new thumbnail" style="width:300px; height:100%;">

</div>

<div class="fileupload-preview fileupload-exists thumbnail" style="max-width: 300px; max-
height:200px; line-height:20px;"></div>

<div style="margin-left:.3em;">

<span class="btn btn-default btn-file">

<span class="fileupload-new"><i class="fa fa-paper-clip"></i> Upload image</span>

<span class="fileupload-exists"><i class="fa fa-undo"></i> Perbaharui</span><input
type="file" name="file" class="default"/></span>

<a href="#" class="btn btn-danger fileupload-exists" data-dismiss="fileupload" style="margin-
left:.2em;"><i class="fa fa-trash"></i> Hapus</a>

</div>

</div>

</div>

</div>

<div class="col-lg-12" style="margin-top:-2em; margin-bottom: 1em;">

<div class="square-green single-row">

```

```

<div class="checkbox">

<input type="checkbox" name="ubah">

<label>Checkbox jika ingin merubah data images!</label>

</div>

</div>

</div>

<div class="col-lg-5 form-group">

<label for="name">Tampilan Pengumuman</label>

<select class="form-control" id="kategori" name="stt_tampil" required>

<option value="">--- Pilih Salah Satu ---</option>

<option value="tampil_a" <?php if($row['status_tampil']=='tampil_a'){echo "selected";
} ?>>Tampilkan Hanya Foto</option>

<option value="tampil_b" <?php if($row['status_tampil']=='tampil_b'){echo "selected";
} ?>>Tampilkan Hanya Keterangan</option>

<option value="tampil_c" <?php if($row['status_tampil']=='tampil_c'){echo "selected";
} ?>>Tampilkan Foto dan Keterangan</option>

</select>

</div>

<div class="col-lg-12">

<button type="submit" class="btn btn-success" name="edit">Edit</button>

<a href="?p=data-pengumuman" class="btn btn-danger">Batal</a>

</div>

</form>

<?php

    if(isset($_POST['edit'])){

        $jd = $_POST['jdl'];

```

```

$ttl= date('d-m-Y');

$ket = $_POST['keterangan'];

$st = $_POST['stt_tampil'];


// Cek apakah user ingin mengubah imagesnya atau tidak
if(isset($_POST['ubah'])){

    $img_loc = $_FILES['file']['name'];

    $x = explode('.', $img_loc);

    $ekstensi = strtolower(end($x));

    $ukuran = $_FILES['file']['size'];

    $file_tmp = $_FILES['file']['tmp_name'];


    //upload file tertentu

    $ekstensi_diperbolehkan = array('png','jpg','gif','jpeg');

    if(in_array($ekstensi, $ekstensi_diperbolehkan) === true){
        if($ukuran < 1044070){

            //hapus images sebelumnya

            if(is_file("./file/pengumuman/".$row['img_location'])) // Jika

            unlink("./file/pengumuman/".$row['img_location']);


            move_uploaded_file($file_tmp, './file/pengumuman/'.$img_loc);

```

images ada


```
        $qEditA = mysqli_query($koneksi,"UPDATE pengumuman SET  
jdl_pengumuman='$jd',keterangan='$ket',img_location='$img_loc',status_tampil='$st',tgl_update  
='$tgl' WHERE id_pgn=$id");
```

```
        if($qEditA){  
            header('location:?p=data-pengumuman');  
        }else{  
            echo '<div class="col-lg-12 err">gagal mengupload file  
images</div>';  
        }  
    }else{  
        echo '<div class="col-lg-12 err">ukuran file images terlalu  
besar</div>';
```

```
    }  
}else{  
    echo '<div class="col-lg-12 err">ekstensi file images tidak  
diperbolehkan!!</div>';  
}
```

```
    }else{  
        $qEditB = mysqli_query($koneksi, "UPDATE pengumuman SET  
jdl_pengumuman='$jd',keterangan='$ket',status_tampil='$st',tgl_update='$tgl' WHERE  
id_pgn=$id");
```

```
        if($qEditB){  
            header("location:?p=data-pengumuman");  
        }else{  
            echo "<div class='col-lg-12 err'>gagal mengupload file  
images</div>";  
        }  
    }  
}
```

```
        }
    ?>

</div>

</section>

</div>

</div>

</section>
```

Edit jadwal kuliah.php

```
<!-- page heading start-->

<div class="page-heading">

<h3>Jadwal Kuliah</h3>

<ul class="breadcrumb">

<li>

<a href="#">Dashboard</a>

</li>

<li>

<a href="?p=data-jadwal-kuliah">Data Jadwal Kuliah</a>

</li>

<li class="active"> Edit Jadwal Kuliah </li>

</ul>

</div>

<!-- page heading end-->

<!--body wrapper start-->
```

```

<section class="wrapper">

<!-- page start-->

<div class="row">

<div class="col-lg-12">

<section class="panel">

<header class="panel-heading">

                Edit Jadwal Kuliah

<span class="tools pull-right">

<a href="javascript:;" class="fa fa-chevron-down"></a>

</span>

</header>

<div class="panel-body">

<?php

                $id = $_GET['id'];

                $query = mysqli_query($koneksi, "SELECT * FROM jadwal_kuliah
WHERE id_jadwal='$id'");

                $row = mysqli_fetch_array($query);

                ?>

<form role="form" method="POST">

<div class="col-lg-12" style="margin-left: -1em;">

<div class="col-lg-3 form-group">

<label for="berita">Hari</label>

<select class="form-control" name="hari" required>

<option value="">--- Pilih Salah Satu ---</option>

<option value="Senin" <?php if($row['hari']=='Senin'){echo "selected"; }?>>Senin</option>

```

```
<option value="Selasa" <?php if($row['hari']=='Selasa'){echo "selected"; }?>>Selasa</option>
<option value="Rabu" <?php if($row['hari']=='Rabu'){echo "selected"; }?>>Rabu</option>
<option value="Kamis" <?php if($row['hari']=='Kamis'){echo "selected"; }?>>Kamis</option>
<option value="Jumat" <?php if($row['hari']=='Jumat'){echo "selected"; }?>>Jum'at</option>
</select>
```

```
</div>
```

```
<div class="col-lg-4 form-group">
```

```
<label for="berita">Tanggal</label>
```

```
<input type="text" class="form-control form-control-inline input-medium default-date-picker"
name="tgl" value="<?php echo $row['tanggal']; ?>" required>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-2 form-group">
```

```
<label for="berita">Jam Kuliah</label>
```

```
<input type="text" class="form-control" name="jam" value="<?php echo $row['waktu']; ?>"
required>
```

```
</div>
```

```
<div class="col-lg-3 form-group">
```

```
<label for="berita">Ruangan</label>
```

```
<input type="text" class="form-control" name="rgn" value="<?php echo $row['ruang']; ?>"
required>
```

```
</div>
```

```
<div class="col-lg-4 form-group">
```

```
<label for="berita">Nama Matakuliah</label>
```

```
<input type="text" class="form-control" name="makul" value="<?php echo
$row['mata_kuliah']; ?>" required>
```

```
</div>
```

```

<div class="col-lg-3 form-group">

<label for="berita">Kelas</label>

<input type="text" class="form-control" name="kls" value="<?php echo $row['kelas']; ?>"
required>

</div>

<div class="col-lg-12 form-group">

<label for="berita">Nama Dosen</label>

<input type="text" class="form-control" name="nm_dosen" value="<?php echo
$row['nama_dosen']; ?>" required>

</div>

<div class="col-lg-12">

<button type="submit" class="btn btn-success" name="edit">Simpan</button>

<a href="?p=data-jadwal-kuliah" class="btn btn-danger">Batal</a>

</div>

</form>

<?php

        if(isset($_POST['edit'])){

            $hari = $_POST['hari'];

            $tgl= $_POST['tgl'];

            $waktu = $_POST['jam'];

            $ruang = $_POST['rgn'];

            $makul = $_POST['makul'];

            $kls = $_POST['kls'];

            $dosen = $_POST['nm_dosen'];

            $qEdit = mysqli_query($koneksi, "UPDATE jadwal_kuliah SET
hari='$hari',tanggal='$tgl',waktu='$waktu',ruang='$ruang',mata_kuliah='$makul',kelas='$kls',nam
a_dosen='$dosen' WHERE id_jadwal=$id");

```

```
        if($qEdit){
            header('location: ?p=data-jadwal-kuliah');
        }else{
            echo "<div class='col-lg-12 err'><strong>Maaf!</strong> anda gagal
menyimpan kedalam database.</div>";
        }
    }
?>

</div>

</section>

</div>

</div>

</section>
```

Edit data videos.php

```
<!-- page heading start-->

<div class="page-heading">

<h3>Videos</h3>

<ul class="breadcrumb">

<li>

<a href="#">Dashboard</a>

</li>

<li>

<a href="?p=data-videos">Data Videos</a>

</li>
```

```
<li class="active"> Tambah Videos </li>
```

```
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```
<section class="wrapper">
```

```
<!-- page start-->
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

```
                Tambah Videos
```

```
<span class="tools pull-right">
```

```
<a href="javascript:;" class="fa fa-chevron-down"></a>
```

```
</span>
```

```
</header>
```

```
<div class="panel-body">
```

```
<?php
```

```
                $id = $_GET['id'];
```

```
                $query = mysqli_query($koneksi, "SELECT * FROM videos WHERE  
id_videos='$id'");
```

```
                $row = mysqli_fetch_array($query);
```

```
                ?>
```

```
<form role="form" method="POST" enctype="multipart/form-data">
```

```

<div class="col-lg-12 form-group">

<label for="name">Name</label>

<input type="text" class="form-control" name="nama" value="<?php echo $row['name']; ?>"
placeholder="Masukan Name Videos" required>

</div>


<div class="col-lg-5 form-group">

<label for="name">Type Videos</label>

<select class="form-control" name="type" required>

<option value="">--- Pilih Salah Satu ---</option>

<option value="mp4" <?php if($row['type'] == 'mp4') { echo "selected"; } ?>>Format
MP4</option>

<option value="flv" <?php if($row['type'] == 'flv') { echo "selected"; } ?>>Format FLV</option>

<option value="3gpp" <?php if($row['type'] == '3gpp') { echo "selected"; } ?>>Format
3GP</option>

</select>

</div>

<div class="col-lg-4 form-group">

<label for="name">Status Videos</label>

<div style="width: 100%; display: block; margin-top: -.3em;">

<div class="radio" style="float: left; margin-right: 3em;">

<input type="radio" name="stt" value="Aktif" <?php if($row['status_videos'] == 'Aktif') { echo
"checked"; } ?>>

<label>Aktif</label>

</div>

<div class="radio" style="position: absolute; float: left; margin-left: 8em; margin-top:.7em;">

```



```
<input type="radio" name="stt" value="Tidak" <?php if($row['status_videos'] == 'Tidak') {echo "checked";} ?>>
```

```
<label>Tidak</label>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-12 form-group">
```

```
<label for="name">Videos Location</label>
```

```
</div>
```

```
<div class="col-lg-12 form-group">
```

```
<div style="margin-top: -1em; margin-left: .3em;">
```

```
<div class="fileupload fileupload-new" data-provides="fileupload">
```

```
<span class="btn btn-default btn-file">
```

```
<span class="fileupload-new"><i class="fa fa-paper-clip"></i> Upload Videos</span>
```

```
<span class="fileupload-exists"><i class="fa fa-undo"></i> Perbaharui</span><input type="file" name="file" class="default"/></span>
```

```
<span class="fileupload-preview" style="position: absolute; margin-top:-2em; margin-left: 8em; color: #2FC251FF; width: 80%;"></span>
```

```
<a href="#" class="close fileupload-exists" data-dismiss="fileupload"></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-12" style="margin-top:-1em; margin-bottom: 1em;">
```

```
<div class="square-green single-row">
```

```
<div class="checkbox">

<input type="checkbox" name="ubah">

<label>Checkbox jika ingin merubah data videos!</label>

</div>

</div>

</div>

<div class="col-lg-12">

<button type="submit" class="btn btn-success" name="tambah">Simpan</button>

<a href="?p=data-videos" class="btn btn-danger">Batal</a>

</div>

</form>

<?php
```

```
if(isset($_POST['tambah'])){

    $nm = $_POST['nama'];

    $tgl= date('d-m-Y');

    $tp = $_POST['type'];

    $st = $_POST['stt'];


    // Cek apakah user ingin mengubah imagesnya atau tidak

    if(isset($_POST['ubah'])){

        $vi_loc = $_FILES['file']['name'];

        $x = explode('.', $vi_loc);

        $type=$_FILES['file']['type'];

        $ukuran = $_FILES['file']['size'];

        $file_tmp = $_FILES['file']['tmp_name'];
```

```

        if(($type=="video/mp4") || ($type=="video/3gpp") || ($type=="video/x-
flv")){

            if($ukuran < 3000000000){

                //hapus images sebelumnya

                if(is_file("./file/videos/".$row['video_location'])) // Jika images ada
                unlink("./file/videos/".$row['video_location']);

                move_uploaded_file($file_tmp, './file/videos/'.$vi_loc);

                $qEditA = mysqli_query($koneksi,"UPDATE videos SET
name='$nm',tgl_update='$tgl',video_location='$vi_loc',type='$tp',status_videos='$st' WHERE
id_videos=$id");

                if($qEditA){

                    header('location:?p=data-videos');

                }else{

                    echo '<div class="col-lg-12 err">gagal mengupload file
videos</div>';

                }

            }else{

                echo '<div class="col-lg-12 err">ukuran file videos terlalu
besar</div>';

            }

        }else{

            echo '<div class="col-lg-12 err">ekstensi file videos tidak
diperbolehkan!!</div>';

        }
    }
}

```

```

        }else{

            $qEditB = mysqli_query($koneksi, "UPDATE videos SET
name='$nm',tgl_update='$tgl',type='$tp',status_videos='$st' WHERE id_videos=$id");

            if($qEditB){

                header("location:?p=data-videos");

            }else{

                echo "<div class='col-lg-12 err'>gagal mengupload file
videos</div>";

            }

        }

    }

    ?>

</div>

</section>

</div>

</div>

</section>

```

Tambah data running text.php

```

<!-- page heading start-->

<div class="page-heading">

<h3>Running Text</h3>

<ul class="breadcrumb">

<li>

<a href="#">Dashboard</a>

</li>

```

```
<li>
<a href="?p=data-running-text">Data Running Text</a>
</li>
```

```
<li class="active"> Tambah Running Text </li>
```

```
</ul>
```

```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```
<section class="wrapper">
```

```
<!-- page start-->
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

Tambah Running Text

```
<span class="tools pull-right">
```

```
<a href="javascript:;" class="fa fa-chevron-down"></a>
```

```
</span>
```

```
</header>
```

```
<div class="panel-body">
```

```
<form role="form" method="POST">
```

```
<div class="col-lg-12 form-group">
```

```
<label for="jurusan">Judul</label>
```

```
<input type="text" class="form-control" name="jdl" placeholder="Judul" required>
```

```

</div>

<div class="col-lg-12 form-group">

<label for="berita">Berita</label>

<textarea rows="6" class="form-control" name="brt" placeholder="Berita" required></textarea>

</div>

<div class="col-lg-12">

<button type="submit" class="btn btn-success" name="tambah">Simpan</button>

<a href="?p=data-running-text" class="btn btn-danger">Batal</a>

</div>

</form>

<?php

```

```

        if(isset($_POST['tambah'])){

            $judul = $_POST['jdl'];

            $berita = $_POST['brt'];

            $tgl= date('d-m-Y');

            $querytambah = mysqli_query($koneksi, "INSERT INTO running_text
VALUES(NULL, '$judul','$berita','$tgl')");

            if($querytambah){

                $_SESSION['pesan']='penambahan data berhasil';

                header('location: ?p=data-running-text');

            }else{

                echo "<div class='col-lg-12 err'><strong>Maaf!</strong> anda gagal
menyimpan kedalam database.</div>";

            }

        }

    }

?>

```

</div>

</section>

</div>

</div>

</section>

Tambah data videos.php

<style type="text/css">.err { color: #F00; text-align:center;}</style>

<!-- page heading start-->

<div class="page-heading">

<h3>Videos</h3>

<ul class="breadcrumb">

Dashboard

Data Videos

<li class="active"> Tambah Videos

</div>

<!-- page heading end-->

<!--body wrapper start-->

<section class="wrapper">

```
<!-- page start-->

<div class="row">

<div class="col-lg-12">

<section class="panel">

<header class="panel-heading">

    Tambah Videos

<span class="tools pull-right">

<a href="javascript:;" class="fa fa-chevron-down"></a>

</span>

</header>

<div class="panel-body">

<form role="form" method="POST" enctype="multipart/form-data">

<div class="col-lg-12 form-group">

<label for="name">Name</label>

<input type="text" class="form-control" name="nama" placeholder="Masukan Name Videos"
required>

</div>

<div class="col-lg-5 form-group">

<label for="name">Type</label>

<select class="form-control" name="type" required>

<option value="">--- Pilih Salah Satu ---</option>

<option value="mp4">Format MP4</option>

<option value="flv">Format FLV</option>

<option value="3gpp">Format 3GP</option>

</select>
```


</div>

<div class="col-lg-4 form-group">

<label for="name">Status Videos</label>

<div style="width: 100%; display: block; margin-top: -.3em;">

<div class="radio" style="float: left;">

<input type="radio" name="stt" value="Aktif" checked>

<label>Aktif</label>

</div>

<div class="radio" style="position: absolute; float: left; margin-left: 8em; margin-top:.7em;">

<input type="radio" name="stt" value="Tidak">

<label>Tidak</label>

</div>

</div>

</div>

<div class="col-lg-12 form-group">

<label for="name">Videos Location</label>

</div>

<div class="col-lg-12 form-group">

<div style="margin-top: -1em; margin-left: .3em;">

<div class="fileupload fileupload-new" data-provides="fileupload">

<i class="fa fa-paper-clip"></i> Upload Videos

<i class="fa fa-undo"></i> Perbaharui<input type="file" name="file" class="default" required/>


```
<a href="#" class="close fileupload-exists" data-dismiss="fileupload"></a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-12">
```

```
<button type="submit" class="btn btn-success" name="tambah">Simpan</button>
```

```
<a href="?p=data-videos" class="btn btn-danger">Batal</a>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
if(isset($_POST['tambah'])){\n
```

```
    $nm = $_POST['nama'];\n
```

```
    $tgl= date('d-m-Y');\n
```

```
    $tp = $_POST['type'];\n
```

```
    $st = $_POST['stt'];\n
```

```
    $vi_loc = $_FILES['file']['name'];\n
```

```
    $x = explode('.', $vi_loc);\n
```

```
    $type=$_FILES['file']['type'];\n
```

```
    $ukuran = $_FILES['file']['size'];\n
```

```
    $file_tmp = $_FILES['file']['tmp_name'];\n
```

```
    if(($type == "video/mp4") || ($type == "video/3gpp") || ($type ==\n    "video/x-flv")){\n
```

```
        if($ukuran < 3000000000){\n
```

```
            move_uploaded_file($file_tmp, './file/videos/'.$vi_loc);\n
```

```
            $qTambah = mysqli_query($koneksi,"INSERT INTO videos\nVALUES(NULL, '$nm','$tgl','$vi_loc','$tp','$st')");\n
```

```

        if($qTambah){
            header('location:?p=data-videos');
        }else{
            echo '<div class="col-lg-12 err">gagal mengupload file
videos</div>';

        }
    }else{
        echo '<div class="col-lg-12 err">ukuran file videos terlalu
besar</div>';

    }
}else{
    echo '<div class="col-lg-12 err">ekstensi file videos tidak
diperbolehkan!!</div>';

}

}

?>

</div>

</section>

</div>

</div>

</section>

```

Tambah data pengumuman.php

```

<!-- page heading start-->
<div class="page-heading">
<h3>Pengumuman</h3>

```

```
<ul class="breadcrumb">
<li>
<a href="#">Dashboard</a>
</li>
<li>
<a href="?p=data-pengumuman">Data Pengumuman</a>
</li>
<li class="active"> Tambah Pengumuman </li>
</ul>
</div>
<!-- page heading end-->
```

```
<!--body wrapper start-->
<section class="wrapper">
<!-- page start-->
<div class="row">
<div class="col-lg-12">
<section class="panel">
<header class="panel-heading">
    Tambah Pengumuman
    <span class="tools pull-right">
<a href="javascript:;" class="fa fa-chevron-down"></a>
</span>
</header>
<div class="panel-body">
```

```
<form role="form" method="POST" enctype="multipart/form-data">

<div class="col-lg-12 form-group">

<label for="name">Judul Pengumuman</label>

<input type="text" class="form-control" name="jdl" placeholder="Masukan Name
Pengumuman" required>

</div>

<div class="col-lg-12 form-group">

<label for="name">Keterangan</label>

<textarea class="wysihtml5 form-control" name="keterangan" rows="9"></textarea>

</div>

<div class="col-lg-12 form-group">

<label for="name">Image Location <span style="color: #F0740EFF;">(Ukuran yang baik untuk
foto 440x480px)</span></label>

</div>

<div class="col-lg-12 form-group">

<div style="margin-top: -1em; margin-bottom: .5em;">

<div class="fileupload fileupload-new" data-provides="fileupload">

<div class="fileupload-new thumbnail" style="width:300px; height:200px;">

</div>

<div class="fileupload-preview fileupload-exists thumbnail" style="max-width: 300px; max-
height:200px; line-height:20px;"></div>

<div style="margin-left:.3em;">

<span class="btn btn-default btn-file">

<span class="fileupload-new"><i class="fa fa-paper-clip"></i> Upload Images</span>

<span class="fileupload-exists"><i class="fa fa-undo"></i> Perbaharui</span>

<input type="file" name="file" class="default" required/></span>


```

```
<a href="#" class="btn btn-danger fileupload-exists" data-dismiss="fileupload" style="margin-left:.2em;"><i class="fa fa-trash"></i> Hapus</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-lg-5 form-group">
```

```
<label for="name">Tampilan Pengumuman</label>
```

```
<select class="form-control" id="kategori" name="stt_tampil" required>
```

```
<option value="">--- Pilih Salah Satu ---</option>
```

```
<option value="tampil_a">Tampilkan Hanya Foto</option>
```

```
<option value="tampil_b">Tampilkan Hanya Keterangan</option>
```

```
<option value="tampil_c">Tampilkan Foto dan Keterangan</option>
```

```
</select>
```

```
</div>
```

```
<div class="col-lg-12">
```

```
<button type="submit" class="btn btn-success" name="tambah">Simpan</button>
```

```
<a href="?p=data-pengumuman" class="btn btn-danger">Batal</a>
```

```
</div>
```

```
</form>
```

```
<?php
```

```
    if(isset($_POST['tambah'])){\n
```

```
        $jd = $_POST['jd'];\n
```

```
        $tgl= date('d-m-Y');\n
```

```
        $ket = $_POST['keterangan'];\n
```

```

$st = $_POST['stt_tampil'];

$img_loc = $_FILES['file']['name'];

$x = explode('.', $img_loc);

$ekstensi = strtolower(end($x));

$ukuran = $_FILES['file']['size'];

$file_tmp = $_FILES['file']['tmp_name'];

//upload file tertentu

$ekstensi_diperbolehkan = array('png','jpg','gif','jpeg');

if(in_array($ekstensi, $ekstensi_diperbolehkan) === true){

    if($ukuran < 1044070){

        move_uploaded_file($file_tmp, './file/pengumuman/'.$img_loc);

        $qTambah = mysqli_query($koneksi,"INSERT INTO
pengumuman VALUES(NULL, '$jd','$ket','$img_loc','$st','$tgl')");

        if($qTambah){

            header('location: ?p=data-pengumuman');

        }else{

            echo '<div class="col-lg-12 err">gagal mengupload file
images</div>';

        }

    }else{

        echo '<div class="col-lg-12 err">ukuran file images terlalu
besar</div>';

    }

}

```

```
        }else{
            echo '<div class="col-lg-12 err">ekstensi file images tidak
diperbolehkan!!</div>';
        }
    }
?>

</div>

</section>

</div>

</div>

</section>
```

Tambah jadwal kuliah.php

```
<!-- page heading start-->
<div class="page-heading">
<h3>Jadwal Kuliah</h3>
<ul class="breadcrumb">
<li>
<a href="#">Dashboard</a>
</li>
<li>
<a href="?p=data-jadwal-kuliah">Data Jadwal Kuliah</a>
</li>
<li class="active"> Tambah Jadwal Kuliah </li>
</ul>
```



```
</div>
```

```
<!-- page heading end-->
```

```
<!--body wrapper start-->
```

```
<section class="wrapper">
```

```
<!-- page start-->
```

```
<div class="row">
```

```
<div class="col-lg-12">
```

```
<section class="panel">
```

```
<header class="panel-heading">
```

Tambah Jadwal Kuliah

```
<span class="tools pull-right">
```

```
<a href="javascript:;" class="fa fa-chevron-down"></a>
```

```
</span>
```

```
</header>
```

```
<div class="panel-body">
```

```
<form role="form" method="POST">
```

```
<div class="col-lg-12" style="margin-left: -1em;">
```

```
<div class="col-lg-3 form-group">
```

```
<label for="berita">Hari</label>
```

```
<select class="form-control" name="hari" required>
```

```
<option value="">--- Pilih Salah Satu ---</option>
```

```
<option value="Senin" <?php if(h)=='Senin'){echo "selected"; }?>>Senin</option>
```

```
<option value="Selasa" <?php if(h)=='Selasa'){echo "selected"; }?>>Selasa</option>
```

```
<option value="Rabu" <?php if(h)=='Rabu'){echo "selected"; }?>>Rabu</option>
```

```
<option value="Kamis" <?php if(h)=='Kamis'){echo "selected"; }?>>Kamis</option>
<option value="Jumat" <?php if(h)=='Jumat'){echo "selected"; }?>>Jum'at</option>
</select>

</div>

<div class="col-lg-4 form-group">

<label for="berita">Tanggal</label>

<input type="text" class="form-control form-control-inline input-medium default-date-picker"
name="tgl" value="<?php echo date('d-m-Y'); ?>" required>

</div>

</div>

<div class="col-lg-2 form-group">

<label for="berita">Jam Kuliah</label>

<input type="text" class="form-control" name="jam" required>

</div>

<div class="col-lg-3 form-group">

<label for="berita">Ruangan</label>

<input type="text" class="form-control" name="rgn" required>

</div>

<div class="col-lg-4 form-group">

<label for="berita">Nama Matakuliah</label>

<input type="text" class="form-control" name="makul" required>

</div>

<div class="col-lg-3 form-group">

<label for="berita">Kelas</label>

<input type="text" class="form-control" name="kls" required>
```

```

</div>

<div class="col-lg-12 form-group">

<label for="berita">Nama Dosen</label>

<input type="text" class="form-control" name="nm_dosen" required>

</div>

<div class="col-lg-12">

<button type="submit" class="btn btn-success" name="tambah">Simpan</button>

<a href="?p=data-jadwal-kuliah" class="btn btn-danger">Batal</a>

</div>

</form>

<?php

    if(isset($_POST['tambah'])){

        $hari = $_POST['hari'];

        $tgl= $_POST['tgl'];

        $waktu = $_POST['jam'];

        $ruang = $_POST['rgn'];

        $makul = $_POST['makul'];

        $kls = $_POST['kls'];

        $dosen = $_POST['nm_dosen'];

        $querytambah = mysqli_query($koneksi, "INSERT INTO jadwal_kuliah
VALUES(NULL, '$hari', '$tgl', '$waktu', '$ruang', '$makul', '$kls', '$dosen')");

        if($querytambah){

            header('location: ?p=data-jadwal-kuliah');

        }else{

            echo "<div class='col-lg-12 err'><strong>Maaf!</strong> anda gagal
menyimpan kedalam database.</div>";

```

```
        }
    }
?>

</div>

</section>

</div>

</div>

</section>
```

Hapus.php

```
<?php

    include('../..../config/koneksi.php');

    // Table Running Text

    $aa = $_GET['id_run'];

    $a = mysqli_query($koneksi, "DELETE FROM running_text WHERE
id_run_text=$aa");

    if($a){

        header("Location:" . $_SERVER['HTTP_REFERER']);

    }else{

        echo "maaf, data gagal dihapus..";

    }

    // Table Pengumuman

    $bb = $_GET['id_pgn'];
```

```

$vb = mysqli_query($koneksi, "SELECT * FROM pengumuman WHERE
id_pgn=$bb");

$qqp = mysqli_fetch_array($vb);

//hapus images sebelumnya

if(is_file("./file/pengumuman/".$qp['img_location'])) // Jika images ada
unlink("./file/pengumuman/".$qp['img_location']);

$b = mysqli_query($koneksi, "DELETE FROM pengumuman WHERE id_pgn=$bb");
if($b){
    header("Location:" . $_SERVER['HTTP_REFERER']);
}
else{
    echo "maaf, data gagal dihapus..";
}

// Table Videos

$cc = $_GET['id_vs'];

$aB = mysqli_query($koneksi, "SELECT * FROM videos WHERE id_videos=$cc");
$rM = mysqli_fetch_array($aB);

//hapus images sebelumnya

if(is_file("./file/videos/".$rM['video_location'])) // Jika images ada
unlink("./file/videos/".$rM['video_location']);

$c = mysqli_query($koneksi, "DELETE FROM videos WHERE id_videos=$cc");

```

```

        if($c){
            header("Location:" . $_SERVER['HTTP_REFERER']);
        }else{
            echo "maaf, data gagal dihapus..";
        }

        // Table Jadwal Pengumuman

        $dd = $_GET['id_jadwal'];

        $d = mysqli_query($koneksi, "DELETE FROM jadwal_kuliah WHERE
id_jadwal=$dd");

        if($d){
            header("Location:" . $_SERVER['HTTP_REFERER']);
        }else{
            echo "maaf, data gagal dihapus..";
        }

    ?>

```

Pengaturan user.php

```

<style type="text/css">

    .ss {color: #53B34BFF;}

    .er {color: #F00;}

</style>

<!-- page heading start-->

<div class="page-heading">

<h3>

```

Pengaturan User

</h3>

<ul class="breadcrumb">

Dashboard

<li class="active"> Pengaturan User

</div>

<!-- page heading end-->

<!--body wrapper start-->

<div class="wrapper">

<div class="row">

<div class="col-sm-6">

<section class="panel">

<header class="panel-heading">

Pengaturan User

</header>

<div class="panel-body">

<?php

\$id = '1';

```

        $query = mysqli_query($koneksi, "SELECT * FROM user WHERE
id_user='$id'");

        $row = mysqli_fetch_array($query);

        ?>

<form role="form" method="POST">

<div class="col-lg-12 form-group">

<label for="user">Username</label>

<input type="text" class="form-control" name="user" value="<?php echo $row['username']; ?>"
required>

</div>

<div class="col-lg-12 form-group">

<label for="user">Password</label>

<input type="text" class="form-control" name="pass" placeholder="*****" required>

</div>


<div class="col-lg-12 form-group">

<button class="btn btn-primary" name="simpan" type="submit">Perbaharui</button>

</div>

</form>

<?php

        if(isset($_POST['simpan'])) {

            $u = $_POST['user'];

            $p = md5($_POST['pass']);

            $qUpdate = mysqli_query($koneksi, "UPDATE user SET
username='$u',password='$p' WHERE id_user=$id");

            if($qUpdate){

```



```

        echo "<div class='col-lg-12 form-group ss'><h4><i class='icon-ok-
sign'></i>Berhasil</h4><p>memperbarui pengaturan user.</p></div>";

        }else{

            echo "<div class='col-lg-12 form-group er'><h4><i class='icon-ok-
sign'></i>Gagal</h4><p>memperbarui pengaturan user.</p></div>";

        }

    }

?>

</div>

</section>

</div>

</div>

</div>

<!--warper end-->

```

Keluar.php

```

<?php

    session_start();

    session_destroy();

    // mengalihkan halaman sambil mengirim pesan logout

    header("location:../index.php?p=logout");

?>

```

Koneksi.php

<?php

```
$db_host = "localhost";

$db_user = "root";

$db_pass = "";

$db_name = "db_monitor";


$koneksi = mysqli_connect($db_host, $db_user, $db_pass, $db_name);

    if(mysqli_connect_errno()){

        echo 'Gagal melakukan koneksi ke database : '.mysqli_connect_error();

    };


// Untuk menghitung total table

$vds = mysqli_query($koneksi, "SELECT * FROM videos");

$rtx = mysqli_query($koneksi, "SELECT * FROM running_text");

$jwl = mysqli_query($koneksi, "SELECT * FROM jadwal_kuliah");


//memanggil total

$a = mysqli_num_rows($vds); $b = mysqli_num_rows($rtx); $c =
mysqli_num_rows($jwl);


//menampilkan tanggal

function tgl_indo($date) {

    $date = date('Y-m-d',strtotime($date));
```

```
if($date == '0000-00-00') return 'Tanggal Kosong';
```

```
$tgl = substr($date, 8, 2);
```

```
$bln = substr($date, 5, 2);
```

```
$thn = substr($date, 0, 4);
```

```
switch ($bln) {
```

```
    case 1 : {
```

```
        $bln = 'Januari';
```

```
    }break;
```

```
    case 2 : {
```

```
        $bln = 'Februari';
```

```
    }break;
```

```
    case 3 : {
```

```
        $bln = 'Maret';
```

```
    }break;
```

```
    case 4 : {
```

```
        $bln = 'April';
```

```
    }break;
```

```
    case 5 : {
```

```
        $bln = 'Mei';
```

```
    }break;
```

```
    case 6 : {
```

```
        $bln = "Juni";
```

```
    }break;
```

```
    case 7 : {
```

```
        $bln = 'Juli';
```

```
        }break;

    case 8 : {

        $bln = 'Agustus';

        }break;

    case 9 : {

        $bln = 'September';

        }break;

    case 10 : {

        $bln = 'Oktober';

        }break;

    case 11 : {

        $bln = 'November';

        }break;

    case 12 : {

        $bln = 'Desember';

        }break;

    default: {

        $bln = 'UnKnown';

    }break;

}

$tgl_indo = ''. $tgl.' '.$bln.' '.$thn;

return $tgl_indo;

}
```

//menampilkan tanggal hari

```
function h(){  
    $hr = date ("D");  
    switch($hr){  
        case 'Sun':  
            $hari = "Minggu";  
            break;  
        case 'Mon':  
            $hari = "Senin";  
            break;  
        case 'Tue':  
            $hari = "Selasa";  
            break;  
        case 'Wed':  
            $hari = "Rabu";  
            break;  
        case 'Thu':  
            $hari = "Kamis";  
            break;  
        case 'Fri':  
            $hari = "Jumat";  
            break;  
        case 'Sat':  
            $hari = "Sabtu";  
            break;  
        default:
```

```
$hari = "Tidak di ketahui";
```

```
break;
```

```
}
```

```
return $hari;
```

```
}
```

```
?>
```